



## DART APPLICATION & PERMIT DETAILS REPORT

Project Ref No: **0024514** Inherent Risk: **Medium**  
Application Ref: **A005194817** Application Risk: **Medium**  
Received Date: **19-MAY-2019** Renewal Method: **Mail**

### Location Details:

Location Name	Proximity	Meters	Description	Intersecting Streets
824 GYMPIE ROAD CHERMSIDE QLD 4032				

### Client Details:

Name	Address	Role	Phone No	Mobile No
Itp (Income Tax Professionals)	PO Box 4277 LOGANHOLME QLD 4129	Primary Applicant	07 3209 8500	

### Permit Details:

#### Permit Specific Details:

Permit Ref: SIGN0013068  
Permit Type: Advertising Sign  
Permit Status: Current  
Issued Date: 29-MAY-2019  
Effective Date: 02-JUL-2019  
Expiry Date: 01-JUL-2020  
Site Type: Non-Heritage  
Sign Type: Wall  
Exact Location: THE INCOME TAX PROFESSIONALS  
Additional Details: Wording/User: THE INCOME TAX PROFESSIONALS; Height: 0; Width: 0; No.Faces: 1; Area: 2.5; Illuminated: Y; Overall height: 0;

### Running Sheet Details:

Date	Officer	Task	Result
02-JUN-2016	FILMER-MASON, Chris	Desk Top assessment	Completed
See C2169449 for a copy of the address change request			

## DART APPLICATION & PERMIT DETAILS REPORT

---

### Condition Details:

#### Advertising Sign - SIGN0013068

- 1 An advertisement is not to obstruct the passage of pedestrians or vehicles.
- 2 An advertisement other than a Blind Sign, Canopy Sign or Projecting Sign displayed over a footway, path, cycleway or the like is to have a minimum clearance of 2.4 metres between the lowest part of the advertisement and the pavement.
- 3 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 4 An advertisement displayed over a road or other place where vehicles are able to pass is to have a minimum clearance of 5.7 metres from the surface of the road or other place.
- 5 No advertisement with moving parts is to be located in or adjoining a footway or other pedestrian place, unless it is so designed or positioned that the moving parts are out of the reach of pedestrians.
- 6 No support, fixing, suspension or other system required for the proper installation of an advertisement is to be exposed, unless designed and constructed in a simple, neat and tidy manner or as an integral feature of an advertisement.
- 7 An advertisement is not to obstruct pedestrian's, motorist's, or cyclist's view of traffic or the road ahead.
- 8 All electrical services and systems are to comply with the current Standards Association of Australia Wiring Rules and the requirements of the supply authority.
- 9 All conduits, wiring, switches or other electrical apparatus installed on an advertisement are to be concealed from general view. No electrical equipment is to be mounted on an exposed surface in the manner shown in the adjacent drawing.
- 10 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 11 All advertisements are to be constructed and installed so as to facilitate regular maintenance.
- 12 The supporting structure of an advertisement must also comply with structural standards or codes under applicable laws in other respects.