



DART APPLICATION & PERMIT DETAILS REPORT

Project Ref No: **0027748**

Inherent Risk: **Medium**

Application Ref: **A005195204**

Application Risk: **Medium**

Received Date: **19-MAY-2019**

Renewal Method: **Mail**

Location Details:

Location Name	Proximity	Meters	Description	Intersecting Streets
469 GYMPIE ROAD KEDRON QLD 4031				

Client Details:

Name	Address	Role	Phone No	Mobile No
██████████	SCI-FLEET PO Box 52 LUTWYCHE QLD 4030	Primary Applicant	3361 0051	

RTI Release



DART APPLICATION & PERMIT DETAILS REPORT

Permit Details:

Permit Specific Details:

Permit Ref: SIGN0668153
Permit Type: Advertising Sign
Permit Status: Current
Issued Date: 12-JUN-2019
Effective Date: 02-JUL-2019
Expiry Date: 01-JUL-2020
Site Type: Non-Heritage
Sign Type: Vertical Banner Building
Exact Location: USED CARS
Additional Details: Wording/User: USED CARS; Height: 4.64; Width: .64; No.Faces: 2;
Area: 5.9; Illuminated: N; Overall height: 0;

Permit Specific Details:

Permit Ref: SIGN0668152
Permit Type: Advertising Sign
Permit Status: Current
Issued Date: 12-JUN-2019
Effective Date: 02-JUL-2019
Expiry Date: 01-JUL-2020
Site Type: Non-Heritage
Sign Type: Vertical Banner Free Standing
Exact Location: USED CARS
Additional Details: Wording/User: USED CARS; Height: 4.64; Width: .64; No.Faces: 2;
Area: 5.9; Illuminated: N; Overall height: 0;

Permit Specific Details:

Permit Ref: SIGN0668154
Permit Type: Advertising Sign
Permit Status: Current
Issued Date: 12-JUN-2019
Effective Date: 02-JUL-2019
Expiry Date: 01-JUL-2020
Site Type: Non-Heritage
Sign Type: Vertical Banner Building
Exact Location: USED CARS
Additional Details: Wording/User: USED CARS; Height: 4.64; Width: .64; No.Faces: 2;
Area: 5.9; Illuminated: N; Overall height: 0;



DART APPLICATION & PERMIT DETAILS REPORT

Running Sheet Details:

Date	Officer	Task	Result
14-MAY-2008	BRYER, Sue	Phone Call (outgoing)	
	Phoned [REDACTED]	who will pay renewal outstanding \$555.	

RTI Release

Condition Details:

Advertising Sign - SIGN0668152

- 1 An advertisement is not to obstruct the passage of pedestrians or vehicles.
- 2 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 3 An advertisement other than a Blind Sign, Canopy Sign or Projecting Sign displayed over a footway, path, cycleway or the like is to have a minimum clearance of 2.4 metres between the lowest part of the advertisement and the pavement.
- 4 An advertisement displayed over a road or other place where vehicles are able to pass is to have a minimum clearance of 5.7 metres from the surface of the road or other place.
- 5 No advertisement with moving parts is to be located in or adjoining a footway or other pedestrian place, unless it is so designed or positioned that the moving parts are out of the reach of pedestrians.
- 6 No support, fixing, suspension or other system required for the proper installation of an advertisement is to be exposed, unless designed and constructed in a simple, neat and tidy manner or as an integral feature of an advertisement.
- 7 An advertisement is not to obstruct pedestrian's, motorist's, or cyclist's view of traffic or the road ahead.
- 8 All electrical services and systems are to comply with the current Standards Association of Australia Wiring Rules and the requirements of the supply authority.
- 9 All conduits, wiring, switches or other electrical apparatus installed on an advertisement are to be concealed from general view. No electrical equipment is to be mounted on an exposed surface in the manner shown in the adjacent drawing.
- 10 All advertisements are to be constructed and installed so as to facilitate regular maintenance.
- 11 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 12 The supporting structure of an advertisement must also comply with structural standards or codes under applicable laws in other respects.

Advertising Sign - SIGN0668153

- 13 An advertisement is not to obstruct the passage of pedestrians or vehicles.
- 14 An advertisement other than a Blind Sign, Canopy Sign or Projecting Sign displayed over a footway, path, cycleway or the like is to have a minimum clearance of 2.4 metres between the lowest part of the advertisement and the pavement.
- 15 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 16 An advertisement displayed over a road or other place where vehicles are able to pass is to have a minimum clearance of 5.7 metres from the surface of the road or other place.

DART APPLICATION & PERMIT DETAILS REPORT

- 17 No advertisement with moving parts is to be located in or adjoining a footway or other pedestrian place, unless it is so designed or positioned that the moving parts are out of the reach of pedestrians.
- 18 An advertisement is not to obstruct pedestrian's, motorist's, or cyclist's view of traffic or the road ahead.
- 19 No support, fixing, suspension or other system required for the proper installation of an advertisement is to be exposed, unless designed and constructed in a simple, neat and tidy manner or as an integral feature of an advertisement.
- 20 All electrical services and systems are to comply with the current Standards Association of Australia Wiring Rules and the requirements of the supply authority.
- 21 All conduits, wiring, switches or other electrical apparatus installed on an advertisement are to be concealed from general view. No electrical equipment is to be mounted on an exposed surface in the manner shown in the adjacent drawing.
- 22 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 23 All advertisements are to be constructed and installed so as to facilitate regular maintenance.
- 24 The supporting structure of an advertisement must also comply with structural standards or codes under applicable laws in other respects.

Advertising Sign - SIGN0668154

- 25 An advertisement is not to obstruct the passage of pedestrians or vehicles.
- 26 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 27 An advertisement other than a Blind Sign, Canopy Sign or Projecting Sign displayed over a footway, path, cycleway or the like is to have a minimum clearance of 2.4 metres between the lowest part of the advertisement and the pavement.
- 28 An advertisement displayed over a road or other place where vehicles are able to pass is to have a minimum clearance of 5.7 metres from the surface of the road or other place.
- 29 No advertisement with moving parts is to be located in or adjoining a footway or other pedestrian place, unless it is so designed or positioned that the moving parts are out of the reach of pedestrians.
- 30 An advertisement is not to obstruct pedestrian's, motorist's, or cyclist's view of traffic or the road ahead.
- 31 No support, fixing, suspension or other system required for the proper installation of an advertisement is to be exposed, unless designed and constructed in a simple, neat and tidy manner or as an integral feature of an advertisement.
- 32 All electrical services and systems are to comply with the current Standards Association of Australia Wiring Rules and the requirements of the supply authority.



DART APPLICATION & PERMIT DETAILS REPORT

- 33 All conduits, wiring, switches or other electrical apparatus installed on an advertisement are to be concealed from general view. No electrical equipment is to be mounted on an exposed surface in the manner shown in the adjacent drawing.
- 34 All advertisements are to be constructed and installed so as to facilitate regular maintenance.
- 35 Both the advertisement and its supporting structure are to be properly maintained at all times.
- 36 The supporting structure of an advertisement must also comply with structural standards or codes under applicable laws in other respects.

RTI Release